AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

(Currently Amended) A nucleic acid detection method comprising:
 a sample fixing step of fixing a cell-containing sample in divided compartments of a support;
 a nucleic acid exposing step of exposing nucleic acids contained in the sample;

a nucleic acid amplifying step of performing PCR by placing a PCR mixture, containing primers for amplifying a target nucleic acid, into the compartments of the support; and

a determining step of determining whether amplified nucleic acids in a PCR solution contains contain the target nucleic acid.

2. (Cancelled)

3. (Currently Amended) [[A]] The nucleic acid detection method as set forth in claim 1, wherein the nucleic acid exposing step is performed by one or more methods selected from the group consisting of a detergent treatment method, an enzyme treatment method, and a heat treatment method.

4. (Cancelled)

- 5. (Currently Amended) [[A]] <u>The</u> nucleic acid detection method as set forth in claim 1, wherein the amplified nucleic acids are labeled in the nucleic acid amplifying step of performing PCR.
- 6. (Currently Amended) [[A]] The nucleic acid detection method as set forth in claim 5, wherein, in the determining step, a target nucleic acid is detected if there is complementary hybridization of known gene fragments with probes, for which the nucleic acids amplified and labeled in the nucleic acid amplifying step of performing PCR are used.

Application No.: not yet assigned

- 7. (Currently Amended) [[A]] <u>The nucleic acid detection method as set forth in claim</u> 6, wherein the known gene fragments are fixed on the support in advance.
- 8. (Currently Amended) [[A]] <u>The</u> nucleic acid detection method as set forth in claim 5, wherein, in the determining step, a target nucleic acid is detected with use of a DNA microarray and probes, for which the nucleic acids amplified and labeled in the nucleic acid amplifying step of performing PCR are used.
- 9. (Currently Amended) [[A]] <u>The</u> nucleic acid detection method as set forth in any one of claims 1 through 8 claim 1, wherein the sample originates in biological sources.
- 10. (Currently Amended) [[A]] <u>The</u> nucleic acid detection method as set forth in claim 9, wherein the biological sample originates in humans.
- 11. (Currently Amended) A gene detecting kit for detecting a target gene in a sample according to a nucleic acid detection method of any one of claims 1 through 10 claim 1.
- 12. (Original) A gene detecting kit for detecting a disease-associated gene of humans according to a nucleic acid detection method of claim 10.
- 13. (Currently Amended) [[A]] The gene detecting kit as set forth in claim 12, wherein the disease-associated gene of humans is a gene of infection-causing microbes that have infected humans.
- 14. (Currently Amended) [[A]] <u>The gene detecting kit as set forth in claim 13</u>, wherein the gene of infection-causing microbes that have infected humans is a drug-resistant gene.

Application No.: not yet assigned

- 15. (Currently Amended) [[A]] <u>The gene detecting kit as set forth in claim 13</u>, wherein the gene of infection-causing microbes that have infected humans is a drug-sensitive gene.
- 16. (Currently Amended) [[A]] <u>The</u> gene detecting kit as set forth in claim 12, wherein the disease-associated gene of humans is a marker gene for cancer.
- 17. (Currently Amended) [[A]] <u>The gene detecting kit as set forth in claim 12</u>, wherein the disease-associated gene of humans is a genetic disease-associated gene.
- 18. (Currently Amended) [[A]] <u>The gene detecting kit as set forth in any one of claims</u> 11 through 17 claim 11, which comprises: a target gene amplifying primer; PCR reaction buffer; a mixture of deoxynucleoside triphosphate; labeled deoxynucleoside triphosphate; thermostable DNA polymerase; a sample-fixing support; and an indicator for detecting amplified nucleic acids.
- 19. (Currently Amended) [[A]] <u>The nucleic acid detection method as set forth in claim</u>
 1, wherein the support with the divided compartments is shaped to fit a gene amplifier for PCR (thermal cycler).
- 20. (Currently Amended) [[A]] <u>The</u> nucleic acid detection method as set forth in claim 1, wherein, in the determining step, the target nucleic acid is detected by electrophoresis.